
Fluorescence intensity

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD 14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended)


Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255



Fluorescence intensity

Fig. 2

GM-CSF/ II -15 GM-CSF/ IL-15/ Delta-1 TGF-β (As Amended) Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255



Fluorescence intensity




Fig. 4

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255






Fig. 5




Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND

TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al.
DOCKET NO.: 081356-0255

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended) Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255





Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255




Fig. 8

